ACK'-

INFORMATION REPORT INFORMATION REPORT

CENTRAL INTELLIGENCE AGENCY


This material contains information affecting the National Defense of the United States within the meaning of the Espionage Laws, Title 18, U.S.C. Secs. 793 and 794, the transmission or revelation of which in any manner to an unauthorized person is prohibited by law.


			N-T-I-A-L		
COUNTRY	USSR (Moscow	Oblast)	REPORT		
SUBJECT		ts Petroleum Machinery naya Textile Combine	Plant DATE DISTR.	1 May 1959)
		ing a remorted companie	NO. PAGES	1	
			REFERENCES		25 X 1
DATE OF					,
PLACE & DATE ACQ.					
DATE ACQ.	SOURCE EV	ALUATIONS ARE DEFINITIVE.	APPRAISAL OF CONT	TENT IS TENTATIVE	
	Machinery Pla of the tool a Textile Combinethods. Thi		ketch of the pl Attachment ly the plant bu	2 concerns the ildings and pro	a diagram Trekhgorna oduction
	Machinery Pla of the tool a Textile Combinethods. Thi	ant. This includes a simple of the state of	ketch of the pl Attachment ly the plant bu	the Borets Person and 2 concerns the aildings and pro	a diagram Trekhgorna oduction and a diag
	Machinery Pla of the tool a Textile Combinethods. Thi	ant. This includes a simple of the state of	ketch of the pl Attachment ly the plant bu	the Borets Person and 2 concerns the aildings and pro	a diagram Trekhgorna oduction and a diag
	Machinery Pla of the tool a Textile Combinethods. Thi	ant. This includes a simple of the state of	ketch of the pl Attachment ly the plant bu a sketch of th	the Borets Person and 2 concerns the aildings and pro	a diagram Trekhgorna oduction
	Machinery Pla of the tool a Textile Combinethods. Thi	ant. This includes a simple shop ine, describing general is report also includes organization.	ketch of the pl Attachment ly the plant bu a sketch of th	the Borets Person and 2 concerns the aildings and pro	a diagram Trekhgorna oduction and a diag
	Machinery Pla of the tool a Textile Combinethods. Thi	ant. This includes a simple shop ine, describing general is report also includes organization.	ketch of the pl Attachment ly the plant bu a sketch of th	the Borets Person and 2 concerns the aildings and pro	a diagram Trekhgorna oduction and a diag
	Machinery Pla of the tool a Textile Combinethods. Thi	ant. This includes a simple shop ine, describing general is report also includes organization.	ketch of the pl Attachment ly the plant bu a sketch of th	the Borets Person and 2 concerns the aildings and pro	a diagram Trekhgorna oduction and a diag
STATE X	Machinery Pla of the tool a Textile Combi methods. Thi of the plant	c-O-N-F-I-D-E-I	ketch of the pl Attachment ly the plant bu a sketch of th	the Borets Person and 2 concerns the aildings and pro	a diagram Trekhgorna oduction and a diag

Sanitized Copy Approved for Release 2010/07/07 : CIA-RDP80T00246A048300360001-6
25X1

Next 15 Page(s) In Document Denied

Sanitized Copy Approved for Release 2010/07/07 : CIA-RDP80T00246A048300360001-6





						EUM INDUSTRY	25 25
he Boriets (1 - which mean	s "fighter")	Plant was	located	in Moscow,	Deersinsky	
,	Jadachmour (2)	ulitan WO 6					2
ayon, on Sk.	Ladochnaya (3)	ulitee Nº 0.)				
					•		
· · · · · · · · · · · · · · · · · · ·			, symmetrics	Foliation.	1		
ris plant m	anufactured mac	hinery such	as, pumps	ena comp	pressors for	r the petrole	a um
ris plant m	anufactured mac	hinery such	as, pumps	and comp	ressors for	r the petrole	
	anufactured mac	hinery such	as, pumps	ena comp	pressors för	r the petrole	
his plant mandustry.	anufactured mac	hinery such	as, pumps	and comp	oressors för	r the petrole	•um
	anufactured mac	hinery such	as, pumps	and comp	ressors för	r the petrole	
	anufactured mac	hinery such	as, pumps	and comp	ressors for	r the petrole	•um
	anufactured mac	hinery such	as, pumps	and comp	oressors for	r the petrole	
ndustry.	anufactured mac			and comp	ressors for	r the petrole	um

CONFIDENTIA 25X1

Sanitized Copy Approved	for Release	2010/07/07	: CIA-RDP	80T0024	16A048300	360001-6

CONFIDENTLA

These were stamped "Boriets", painted grey, and loaded on trucks which transported then either to their destinations or to the rairoad siding where an overhead travelling crane (15/1) loaded them on freight cars.

25X1

The Tool Shop (17/1) was located in a 100 X 25-meter brick fireproof building that had a glass roof. It manufactured finished tools such as: cutting tools, drills, power shovels, test milling machines, drill stocks, diestocks, etc. The plant had a tolerance of two hundred parts of a centimeter.

This shop had eight furnaces in the tempering section and an oil basin in the center.

It had the following machinery:

25 lather

12 or 12 milling machines

- 6 planes
- 3 drills

(See sketch Nº 2.) Most of the machinery was Russian manufactured except for five lathes and two milling machines of foreign make. The machinery was adequate and in good condition. Occasionally old lathes were replaced by new ones.

The "widia" and "ceramic" lathe cutting tools that the plant used were manufac-

25X1

tured in another plant.

The plant had

been utilizing these cutting tools since 1914.

This shop had 300 workers on the two day shifts and 150 on the night shift.

The plant did not have any secret installations or bomb shelters.

Sanitized Copy Approved for Release 2010/07/07 : CIA-RDP80T00246A048300360001-6

Sanitized Copy Ap	pproved for Release 2010/07/07: CIA-RDP80T00246A04830036	0001-6
	CONFIDENTIAL	
did not generate its own	november to the second of the	25X
did not generate its own	power but transformed it and distributed it to the	e different
sections and shops.		25X
		:
		:
1		
	k normal width railroad siding which connected with	
The plant had a one-track	ek normal width railroad siding which connected with me from nearby Savelovskiy (4) station.	
The plant had a one-track		25X
The plant had a one-track	me from nearby Savelovskiy (4) station.	25X
The plant had a one-track	me from nearby Savelovskiy (4) station. It ended at the point (15) indicate	25X
The plant had a one-track main Moscow line that can sketch; an overhead trave	me from nearby Savelovskiy (4) station. It ended at the point (15) indicate	25X1 ordi-
The plant had a one-track	It ended at the point (15) indicate celling crane lifted loads from the trucks onto the	25X1 ordi-
The plant had a one-track	It ended at the point (15) indicate celling crane lifted loads from the trucks onto the	25X1 ordi-
The plant had a one-track	It ended at the point (15) indicate celling crane lifted loads from the trucks onto the	25X1 ordi-
The plant had a one-track	It ended at the point (15) indicate relling crane lifted loads from the trucks onto the construction work to extend facilities was going on	25X1 ordi- 25X1
The plant had a one-track main Moscow line that can sketch; an overhead trave hary freight cars. No co	Tt ended at the point (15) indicate relling crane lifted loads from the trucks onto the construction work to extend facilities was going on through Skladochnaya(3); it was about 15-mer	25X1 ordi- 25X1
The plant had a one-track main Moscow line that can sketch; an overhead trave hary freight cars. No co	It ended at the point (15) indicate relling crane lifted loads from the trucks onto the construction work to extend facilities was going on	25X1
The plant had a one-track main Moscow line that can sketch; an overhead trave hary freight cars. No co	Tt ended at the point (15) indicate relling crane lifted loads from the trucks onto the construction work to extend facilities was going on through Skladochnaya(3); it was about 15-mer	25X1 ordi- 25X1 ters wide
The plant had a one-track main Moscow line that can sketch; an overhead trave hary freight cars. No co	It ended at the point (15) indicate relling crane lifted loads from the trucks onto the construction work to extend facilities was going on through Skladochnaya(3); it was about 15-mention, trafficable, and adequate.	25X1 ordi- 25X1 ters wide
sketch; an overhead travenary freight cars. No construction to the plant was asphalted, in good conditions plant had about 20 to	It ended at the point (15) indicate relling crane lifted loads from the trucks onto the construction work to extend facilities was going on through Skladochnaya(3); it was about 15-mertion, trafficable, and adequate.	25X1 ordi- 25X1 ters wide

Sanitized Copy Approved for Release 2010/07/07 : CIA-RDP80T00246A048300360	001-6
1. TRANSPORTATION CONFIDENTIAL	25X1
1. Supplies and raw materials were brought in by rail and finished	products
	25X1
were shipped to their destination by rail. Trucks entered and left	frequently
· · · · · · · · · · · · · · · · · · ·	-
	25X1
Trucks were also used for transportation within the plant	, for example
from one shop to another. They sometimes hauled finished products in	from the assembly
shop to the railroad cars, when the factric cars regularly used in	this operation
could not handle the extra weight. No river transport was used.	
2. STORAGE: Each shop had a small stookroom in which parts and man	terial used
there were stored. However, no provision was made for storing finish	ned machinery
on the plant premises. It was hauled directly to railroad cars to b	e shipped
to its destination.	25X1
3. ASSEMBLY LINE:	25/1
raw materials were brought to the foundry in ingots, and	nd cast into
the forms or parts required. From here they proceeded to the respec	ctive shops
to be polished, turned, planed, and finished. Completed parts were	sent to the
Assembly Shop, and dispatched as described above. Control devices	were the usual
Assembly Shop, and dispatched as described above. Control devices which is the state of the stat	were the usual
	were the usual
	were the usual

divided into three eight-hour shifts. Workers got fifteen days paid annual vacation. Those who had debilitating jobs were given thirty days annual vacation.

	Sanitized Copy Approved for Release 2010/07/07 : CIA-RDP80T00246A048300360001-6
•	SECURITY CONFIDENTIAL
	Scarcely any security measures were taken within the plant.
	Each dog had a radius of movement of about sixty meters.
	To enter the plant one had to display an entrance pass, or "propusk", which
	was issued from the personnel office. This was a small card folded in two
	sections bearing the name and photograph of the owner. Since this checking
	of the pass was the only means of controlling entry, it was done thoroughly.
	The folded sides of the card were always opened and the HARLESTANDARDED
,	washer's identity checked with the photograph. If the pass were forgotton
•	entry was denied, even to someone well-known to the guards.
•	Those other than plant personnel who wanted to enter had to avail themselves
•	of a special pass, obtainable through the personnel office with the OK of the
Ċ	director. The time entry and proposed length of stay were noted on this pass.
3	If the time limit was exceded, investigation was promptly made.
Į	PREVENTION:
	Uniformed firemen constantly
p	atrolled the plant, checking electrical outlets, and equipment and cautioning
	he workers against carelessness in handling of lighted cigarette butts, نقد ،
T	hey were also instructed in more extensive methods of fire prevention. The
ſ	iremen regularly checked their own equipment as well, which consisted of hoses
	nd hand extinguishers.

CONFIDENTIAL
Sanitized Copy Approved for Release 2010/07/07 : CIA-RDP80T00246A048300360001-6

Sanitized Copy A	_	7 : ÇIA-RDP80T00246A048300360)001-6
•	<u>*</u>		25 X 1
PERSONNEL:	9,	NEIDENTIAL	
		TRI I D LIVI I I I	25
Plant person	nel consisted of the foll	owing: A director and assi	istant director
who substitu	ted in the former's absen	ce, two secretaries, machin	ne construction
engineers, e	conomists, planning engin	eer, head of the purchasing	g department,
draftsmen, d	signers, accountants, an	d other office personnel.	
A total of t	on thousand persons works	d in the plant, twenty per	
which were w	omen.		25
Names of per	sonnel	were:	
GERASI MOV	Phantichpector.		
IVANOV lnu	Head of the Plant Party	office.	
ABRAHAM	lnu Chief of the tool	ghan	
AJIMIAA	ing onion or one occur	shop,	
ALEKSEY	lnu Assistant chief of	the tool shop.	
d			
SASA	lnu Foreman of the too	ol shop,	
*			
		CONFIDENTIAL	

Sanitized Copy Approved for Release 2010/07/07: CIA-RDP80T00246A048300360001-6

PRODUCTION	Time !
Constant effort	s were being made to increase production volume
	The machinery was always being replaced by more efficient
,	_
to-date models.	
	1

11.

LEGEND TO THE SKETCH NO. 1

CONFIDENTIAL

25X1

1. Sentry station

- 19. Open-air dumps for sand, iron, & wood
- 2. Personnel entrance
- 20. Personnel office

3. Dining room

21. General offices

4. Gas welding

- 22. Truck entrance
- 5. Materiel warehouse
- 23. Club
- 6. Bachelor's quarters
- 24. Garage

7. Foundry

25. Dogs

- 8. Machine shop no. 1
- 26. Rotunda with statue of Lenin

9. Repair shop

- 27. Open air parking lot
- 10. Furnaces and tempering shop
- 28. Garden

11. Reservoir

- 29. Railroad
- 12. Machine shop No. 2
- 13. Machine shop No. 3
- 14. Carpentry shop
- 15. Crane and Railroad terminal
- 16. Assembly shop
- 17. Tool manufacturing shop
- 18. Railroad entrance

LEGEND TO SKETCH NO. 2

1. 1. Emery wheels

- 2. Sharpeners
- 3. Tempering furnaces
- 4. Tempering vats
- 5. Tempering shop
- 6. Tool warehouse
- 7. Sharpening and hollow grinding shop
- 6. Storeroom for metal stock
- 9. Shop offices
- 10. Low wall
- 11. Work benches with vises
- 12. Milling machines
- 13. Drills
- 14. Ordinary size lathes
- 15. Planers
- 16. Communication door for both shops
- 17. Machines (fitting)
- 18. Control table
- 19. Washrooms, cloakroom
- 20. Assembly shop
- 21. Tool shop
- 22. Entrances

Sanitized Copy Approved for Release 2010/07/07 : CIA-RDP80T00246A048300360001-6

Sanitized Copy Approved for Release 2010/07/07: CIA-RDP80T00246A048300360001-6

TEXTELE COMBINE "TREKEDORMAYA" IN MOSCON

- 2 -

De slat	t was also known	as '	(Three Mountain	R
Pagtory)			<u> </u>	
		The plant was l	conted on the Rondelskaya	***
haber 1	3, in the France	presidentity says	, and occupied an area about a no change in the plant loc	ation
sines ii	e ecockaration p	or has there has	em new construction to	
il Clares	tiste the plant	loostics		25
		the plant	was subordinate to the Mini	stry
of Item	Industry.			
	4			
Descript	TCT			
Bods of	and hard dealeder too	n established ori	or to WI was owned by (fmi)	
Monogov.	mmtil the 1917	Revolution. Duri	ng the pre-Norld War I perio	4
the plan	st had the remate	tion of buing one	of the best textile plants:	in
Monocu.	med it still end	oved that reputet	don in 1957. Some of the	
mehd no	need in 1957 w	re from the pro-l	keld War I days, but were in	<u> </u>
good car	dition. After 1	936 may nev met	dines of Czech, Polish,	2
Best Ger	dition. After l	916 mmy nev met manfacture, vary	dines of Gsech, Polish, ring in year of make from 192	2
Heat Gas to 1950,	dition. After 1 mm and Russian were mounted in the had modern flu	918 many new mach manufacture, vary the plant. crescent lighting	dines of Czech, Polish, ring in year of make from 192 which was installed in 1948	D .2
Mast Ger to 1950, The plan building heating	dition. After 1 mm and Russian were mounted in it had modern fla m had many large	918 many new mach manufacture, vary the plant. orescent lighting windows, and war ines were kept in	dies of Czech, Polish, ring in year of make from 192	. The
Heart Ger to 1950, The plane building beating the indi	dition. After I man and Russian were mounted in it had modern flu ps had many large plant. The mach	916 mmy new mach manufacture, vary the plant. corescent lighting windows, and wer does were kept in a clean.	dines of Czech, Polish, ring in year of make from 192 y which was installed in 1948 we well heated by a central	• The
Heart Ger to 1950, The plan building beating the indi	ministion. After I man and Russian were mounted in it had modern flu it had modern flu it had modern flu plant. The mach vidual shows were	916 mmy new mach manufacture, vary the plant. creacent lighting windows, and wer ines were kept in a clean.	dines of Czech, Polish, ring in year of make from 192 y which was installed in 1948 we well heated by a central	• The
Heart Ger to 1950, The plan building heating the indi	min and Russian were mounted in at had modern flu at had modern flu and many large plant. The mach vidual shows wer and Their Acti apage 13 Plant milrood fright stati vide gauge, as platforms was	plb many new mach manufacture, vary the plant. orescent lighting windows, and were kept in a clean. Vitigs station and marrial actions and marrial action and marrial actions and marrial actions and actions about one kilometers.	dimes of Casch, Polish, ring in year of make from 192 g which was installed in 1948 re well heated by a central a good mechanical condition,	The and

CONFIDENTIAL

		25 X 1
Point 3.	Fence. A wooden fence, about 2 meters high was located along the western and eastern side of the plant area. There was no fence along the morthern plant boundary which bordered on Roedelskaya and only a small section of the southern boundary was fenced since the main factory building occupied the southern portion of the plant grounds.	25 X 1
Point 4.	Gate for railroad and truck traffic. Two guards were on duty at this gate at all times, including holidays.	
Point 5.	Street. It could have been Trekhgorniy Perculok. This street separated the railroad station from the plant.	25 X 1
Point 6.	Spinning shop. A three-story, red brick building about 50 meters long x 40 meters wide with a gabled tin roof. the shop contained long spinning machines of Csech and Russian make, and that about 200 women worked there during each shift. The building had a freight elevator with a platform ten meters by seven meters in size. Three to five mechanics were always on duty in this shop.	25X1
Podnt 7.	Administration Building and Billets. A three-story, red brick building, about 50 x 40 meters in area dimension, with a gabled tin roof. On the first floor were offices for the director, bookkeeping section, typing section, and for the chief of the Special Section. About 30 people worked there. On the second and third floors there were living guarters for employees of the plant. Each floor had 56 rooms, each about 30 meters square, containing 10 beds. About 25 women lived there. There were separate rooms for families, for man, and for women.	25X1
Point 8.	Main Gate. Entrance for all employees. There were two guards posted at this gate at all times.	
Point 9.	Personnel Office. A one-story, red brick building, about 10 meters square, with a tin gabled roof. From three to five women worked there issuing passes and work books to new employees, keeping track of secounts, pay, leaves, etc.	
Podat 10.	Rosdelskaya	25 X 1
Point 11.	Weaving shop. A three-story, red brick building, about 50 x 40 meters in area dimension, with a gabled tin roof. Each floor 25X had about 150 weaving looms of Cuech, East German, Polish and USSR make.	.1
	About 20 to 25 women worked on each floor. The building had a elevator. At all times five mechanics were present for preventive maintenance of the machinery. A brick remp led from the second floor of this	25 X 1

25X1

building to the bleaching shop in the basement (point 25, page $_{13}$).

- Point 12. Marrow gauge railroad line leading inside the plant to various buildings.
- Point 13. Roads inside the plant.
- Point 14. First aid station. A two-story, red brick building, about 20 x 10 meters in area dimension, with a gabled tin roof. On the first floor were first aid rooms and offices for the murses. On the second floor there were about 50 cots for the convenience of employees who wanted to remain in the plant for their next shift.
- Point 15. Garage. A one-story, red brick building, about 20 x 15 meters in area dimension, with a gabled tin roof. It had space for seven trucks. The plant had ten trucks, three of which were parked in the open near the garage.
- Point 16. Main Repair Shop. A two-story, red brick building, about 50 x 30 meters in area dimension with a gabled tin roof. On the first floor were ten lathes, four milling-cutting machines, two planing machines, five electric welding stands, and one electric saw. There was a timekeeper on the first floor, to whom all mechanics surrendered their passes. Approximately 150 mechanics worked here one shift only. On the second floor there were 30 machinist's work benches.
- Point 17. Storage. A two-story, red brick building, about 70 x 50 meters in area dimension with a gabled tin roof. It contained finished bolts of cloth, which were later packed in trucks. There was a narrow, wooden, portable remp which was set up to load the bolts of cloth in the trucks.

_____25X1

- or or men and women worked there during each shift.
- Foint 18. Restaurant. A one-story, red brick building, about 50 x 20 meters in area dimension with a gabled roof. It had a seating capacity of 200 and womens were served on staggered hour schedule. About 40 or 50 women were employed in this restaurant which was open during all shifts.
- Point 19. Park. This was an area 100 meters square with trees, benches, and a statue of Falix Decrapinskiy.
- Point 20. Designing shop. A consistory, red brick building, about 70 x 30 meters in area dimension, with a mehled the

25X1

making flowered and other designs and patterns for the printing

CONFIDENTIAL

CONFIDENTIAL

25X1

Point 21. Storage. A one-story, red brick building, about 50 x 30 meters in dimmeton, with a gabled tin roof. It served as a storage room for finished merchandise. From this point the bolts of cloth were loaded and pushed by head to the reilroad siding, point 1, page 13

25X1

about 50 to 60 mm and woman worked there on each shift. In the east section of this building, there was a fire engine, with pumps, ladders, etc. There was always one firemen on duty.

- Point 22. Commist Party Offices. A two-story, red brick building, about 50 x 20 meters in area dimension, with a gabled tin roof. On the first floor there were the offices of the Party Organiser of the plant, meeting rooms, etc. The payroll section was 25X1 located on the second floor.
- Foint 23. Repair shop. A one-story, red brick building, about ten meters square, with a gabled tin roof.

 it contained three lathes, two drilling machines, one electric saw, two work benches, all of Soviet make. Three to five mechanics were there at all times including Sundays.

 These mechanics worked only on maintenance of the bleaching machines.
- Point 24. Bleaching, trimming, dyeing, printing and sorting shops. A
 three story, L-shaped, red brick building, with a gabled tin
 roof. One wing, hereafter referred to as point 25, was about
 40 meters square, and the other wing, hereafter referred to as
 point 26, was about 200 meters long and 40 meters wide. This
 was the main factory building, and the only building in the
 plant which had a basement. It also had two freight elevators
 with platform space about 10 meters x seven
 meters in size.

25X1

Point 25. Bleaching and trimming shops. In the basement, which was connected with a ramp from the second floor of point 11, woven cloth was stored until taken by an elevator to the bleaching shop. On the first floor were four roller-machines, where the woven cloth was treated with natural gas to remove threads, felt, etc. One woman serviced each machine. There were also ten huge vats where the woven cloth was rinsed with an acid and/or caustics. One man and two women attended each vat. The first floor had also 35 bleaching stands of East German and Soviet make. One woman attended each stand. After the cloth underwent these processes, it was pulled up to the second floor by rollers. There the cloth was placed on drying drums. Each drying drum was attended by three woman. There were ten such drying drums on the second floor. There were also on the second floor 50 trimming stands, mostly of East German make, where the cloth was again cleaned of hair, threads, other ruffage. One woman attended three trimming stands. There were also three to five mechanics on constant duty to insure continuous operation of the

CONFIDENTIAL	
	25X ²

trimming machines. Rollers pulled the cloth to the third floor, where there were about ten drying drums, each attended by three women. The third floor had also a control section where about 30 women inspected the cloth to insure uniform quality.

Printing, dyeing and sorting shops. The eastern part of this Point 26. building was occupied by the printing shop. This shop was located in an area bout 40 meters square. On the first floor were 20 printing stands. One woman operated three such stands. Rollers pulled up the printed cloth to the second and third floors. On each of the second and third floors there were 10 drying drams, each dram attended by two women. On the third floor there were also about 10 women who inspected the finished product. There were three to five preventive maintenance mechanics always on duty in the printing shop. The center of the building, an area about 100 by 40 meters, was occupied by the dyeing shop. On the first floor were 10 dyeing vat-stands, each attended by five vomen. Rollers pulled the dyed cloth to the second and third floors. On both the second and third floors there were seven drying drums, each drum attended by two woman. There were also from 10 to 20 women on the third floor who inspected the dyed cloth. Mive mechanics were always on duty in the printing shop for preventive maintenance and emergency repairs. The dyes were stored on the first floor, and were pumped in a liquid state into the dyeing vats. The western wing of the building, an area about 60 x 40 meters, was occupied by a sorting shop. On all three floors woman sorted, measured, folded, and wrarmed up the finished bolts of cloth.

25X1

about 100 women worked

during one shift on all three floors.

Foint 27. Water Reservoir. Outside of the plant area, near the Moskva River, stood a cylindrical cement tenk filled with water. This tank was about 15 meters high, and had a dismeter of about 30 meters. Water for the bleaching, trimming, printing and dyeing processes came from this tank.

Point 28. Underground pipes drained off the dirty water, into the Moskva River.

The plant had also a furnace room which supplied heat to all plant buildings.

25X1

Plent Activities

5. The following materials were produced at the plant: flammel, tulle, calico, artificial silk, crepe-de-Chine, halfsilk material, satin, linen, cotton-cloth, Shtapel (a mixture of nylon, rayon and silk), silk ribbons, material for flags, ready made bedlinen (sheets and pillowcases), toweling, handkerchief material, strips used for bunting, and ready-made women's scarves.

CONFIDENTIAL

25X1

25X1

The dimensions of the materials varied. Most of the cloths were either 75 centimeters or 1.50 meters in width. Ribbons and strips were from two to five centimeters in width. Material for towels and handkerchiefs c in bolts, but were perforated for cutting individual sizes: towels, 1.25 meters or one meter in length by 50 centimeters in width; and handkerchief in sizes approximately 40 centimeters square. Shawls were ready made,
about 70 centimeters square. The cloth was produced in bolts, 40 meters to 60 meters long, in all color such as green, blue, yellow, red, white, black, violet, and all possible huse of these colors. The material for flags was of red color. Some of the cloth was also printed in multicolored flowered or other patterns. Source could not give any data on the weights of materials. These cloths were used for underwear, shirts, linen, dresses and blouses.
The plant also manufactured a kheki colored cotton cloth for the Soviet Army, from which tunics and breeches were made. This material was one meter wide, 40 to 60 meters long. Also, kheki colored canvas material, used for Soviet Army tents was produced in bolts 15 meters wide, length unknown. Only a small percent or production was for Army use. The item produced in greatest quantity, "Shtapel", was used for ladies blouses and dresses. However, the linen, towels, handkerchiefs might have been for military as well as for civilian use.
The following rew materials were brought to the plant: cotton, dyes,
various chemicals, (such as caustics, acids) wood and coal for heating. The point of origin of the above mentioned raw materials was unknown
the coal came from the Bon Basin area. These rew materials were brought daily to the plant in railroad cars.
In addition to the raw materials manticued above, the finished cloth bolts were stored at the plant.
Water Supply The plant had a reservoir (point 27, page 13) of unknown capacity for water supply. The bleaching shop (point 25, page 13) had 10 pumps to pump water from this reservoir to bleaching wate, and also to dispose of the used water.
The water was conducted by underground pipelines. Biemeter, length and capacity of the pipelines were not known
Power

COMPIDENTIAL

25X1

25X1

directly behind	the Textile Combine.
was adomisto. T	The amount of electricity There were no emergency generators. About two or three
times a month th	more was electric failure, when all machinery stopped unt
	regained. The repair required about half an hour's time There were no connections from this plant with any dame
Packing	
Marchandise ship in wooden boxes,	ppd from this plant to other plants in Moscow was racked about 1 x 1 x 3 meters in dimension.
	The word "KANNOH" was stamped on the cutaids
of the above des leaden seal (Flo	eribed wooden bosses. The bosses were sealed with a
Transportation	
name unknown, por railroad station were connected w Bussian gauge.	of the plant, on the opposite side of the street (emet estbly the Trakhgorniy Perculck), there was a special with about 5 tracks for this plant only. These tracks with the Moscow relirond ring and were of the standard A Marrow gauge track led from these tracks to the
storace areas.	ant, to the spinning, weaving, dyeing shops and to the (See point 12, mass 13).
atorene areas.	ant, to the spinning, weaving, dyeing shops and to the (See point 12, mass 13).
storaze areas.	(See point 12, page 13). Most of the finished products
vere shipped fro	(See roint 12. mass 13).
were shipped from the reads inside asphalt covered, and GAZ trucks.	Most of the finished products In the plant by train. Except for bolts of cloth woven as and brought to this plant for dwring and/or printing.
were shipped from the reads inside asphalt covered, and GAZ trucks. during unloading	Most of the finished products m the plant by train. Except for bolts of cloth woven es and brought to this plant for dysing and/or printing, erial arrived by train. the plant area shown as point 13 on page 13, were about three meters wide, and could sustain loaded MIS. These adequately constructed roads were always used
were shipped from in other factorial incoming mate. The roads inside asphalt covered, and GAZ trucks. during unloading The plant had 10 These trucks were	Most of the finished products in the plant by train. Except for bolts of cloth woven as and brought to this plant for dyeing and/or printing, erial arrived by train. the plant area shown as point 13 on page 13, were about three meters wide, and could sustain loaded EIS. These adequately constructed roads were always used and loading and operations. trucks, five EIS-150 models and five GAE-Molotov models. maintained in the garage, shown as point 15, page 13.
were shipped from the other factorial incoming mate inside a sphalt covered, and GAZ trucks. The plant had 10 hase trucks were and printing, and potories and steptories and steptories and steptories and steptories and steptories.	Most of the finished products me the plant by train. Except for bolts of cloth woven as and brought to this plant for dyeing and/or printing, erial arrived by train. the plant area shown as point 13 on page 13, were about three meters wide, and could sustain loaded ZIS. These adequately constructed roads were always used and loading and operations. trucks, five ZIS-150 models and five GAZ-Molotov models amintained in the garage, shown as point 15, page 13

25X1

	CONFIDENTIAL	
	-9-	2
torage		
uildings inside (storage area at this plant. There were tweethe plant area, described as points 17 and a at the special plant railroad siding, described at the special plant railroad siding.	21, pages 13 ,
seembly Line		
me out from the nches long and the eaving shop, and idths and lengths hreads and lint. rinted or dyed, s sesured, and pack	the plant by rail was sent to the spinning spinning shop as thread on spools approximate the inches thick. These spools were taken the thread was woven into bolts of cloth one. The bolts of cloth were bleached, and the cloth was then dried. The cloth was and after another drying process, the cloth had for shipment. The finished merchandise iddings inside the plant area, and was distincted.	ately eight to the f varying rimmed of then either was sorted, was stored
freight elevator here were roller	From the weaving shop the clots becomes of the bleaching shop, and from r to the bleaching shop. Inside the bleach s which pulled up the cloth to the second a ing, trimming and drying.	there by ing shop
r printed cloth	ese shops also had rollers which pulled up to the second and third floors for drying. ing/printing shops, and were pumped in a li ats.	Dyes were
	transported the finished merchandise to i	
roduction		
hree floors, make comm worker atter roduction daily	aving snop med about 150 weaving looms on e ing a total of 450 weaving looms. Since th mied five to twelve looms and averaged 200: in an eight hour period, 55 women attending out 11,000 meters in one shift, or a total	e average meters 450 looms

Sanitized Copy Approved for Release 2010/07/07 : CIA-RDP80T00246A048300360001-6

25X1 →

25X1

Sanitized Copy Approved for Release 2010/07/07 : CIA-RDP80T00246A048300360001-6

25X1

			25)
		<u>-10-</u>	
2.	The	addition to the above described woven output, the plant also	
~•	red	eived bleached cloth for printing/dyeing from the following installa-	
		861	
	a.	The Ismailov Factory (Ismailovskaya Fabrika), 3rd Parkovaya Ulitsa,	
		Stalinskiy Rayon. Moscov. This factory made cloth from cotton. but	
		did not have a printing and dyeing shop. All printing/dyeing for this factory was done at the Tentile Combine.	
	_		
	ъ.	The Shchelkov Factory (Fabrika Insmi Shchelkova), Moscow, This factory, which also made cloth, had	25 X 1
		no dyeing/printing shops, and sent cloth for dyeing/printing to	25X1
		the Textile Combine.	
	e.	The Frunce Factory (Fabrika Insul Frunce), Hoscow (exact address unknown	m۱.
	- •	This factory made cotton fabrics as well as expensive silks and	/·
		silk for parachutes. Only the cotton cloth was sent to the Textile Combine for printing/dyeing. The silks were sent to another unknown	
		plant for printing/dysing.	25)
-			
•			
	Lab	or Force	
•	aix	employees worked 48 hours weekly. The plant operated in three shifts, days weekly. All workers were rotated in the three shifts. The	
		mistrative personnel, office help, nattern makers, drivers and the	
	meci	menics working in the main repair shop worked only on one shift, a 0900 to 1800, with one hour off for lunch. The hours for the shifts	
	MALC	31 0700 - 1520, 1520 to 2340, 2340 to 0700. Each shift had 30	
	M.D.	ites for lunch. The might shift (2340 to 0700) worked only seven	0
	pom	about 650 people worked on each shift.	2
•	Back	worker was given 18 days leave with full pay annually, to be taken	
	at t	the time desired by the worker. Up until 1950 the nlest alread to	
	the	st for three or four weeks for muchine repairs and maintenance, and workers took their leave in August, but there were no shutdowns	
	afte	r 1950, and leave was given at any time desired.	
	THU	s for the average female spinner, weaver or other worker averaged rubles monthly. They were paid according to the amount of work they	
	ac u	ELLY Produced. The wavers were raid from 0.10 million to 1 million million to 1	eter
	-		25X1
•		a semi-skilled mechanic-machinist, carned 500 to 750 rubles per	
	nont	h. basic pay was 500 rubles per month, and in addition received	25
		CONFIDENTIAL	

a bomus if there were no machine breakdowns in the bleaching section Skilled mochanics earned five or six rubles per hour. Chief mechanics earned from 1700 to 3000 rubles per month. The office clerical personnel individually earned about 500 to 600 rubles per month.	25
Semitary conditions were good in the plant. There were sufficient toilets, dressing rooms, and a first aid station (See point 14, page 13). The factories had fluorescent daylight lighting, a window placed at every eight or ten meters of wall space, and the rooms were well heated.	
Security	
The factory had a Special Section, believed to have been subordinate to MIB. The chief of the special section always were civilian clothes. Sub- ordinate to him were from 20 to 25 guards. Two guards were on duty at all times at the main gate, and near the RR and vehicular gate (See points 4 and 8, page 13), and two guards patrolled the plant area.	25
The guards were regular Army uniforms, but without shoulder- boards. Those stationed at the gates had pistols (make unknown) while the man patrolling the area carried rifles (make unknown).	
Each worker had to show his plant pass to the guards at the main gate. The pass was a cardboard document about 4 x 3 inches in size, which contained the name, photo and number of each worker. Upon entering the plant, the worker showed his pass to the guards, and then surrendered his pass to the timekeeper of his particular shop. At the end of the workshift the timekeeper returned the pass to the worker, who showed	
it to the guards at the main gate. The guards would require each worker,	
who carried a bag or package, to present the bag or package for inspection. Most	
who carried a bag or package, to present the bag or package for inspection.	
who carried a bag or package, to present the bag or package for inspection. Nost people entered only the buildings containing their respective workshops. The plant had also about five uniformed firemen, and a fire truck (See point 21, page 13). Nost buildings had manual fire entinguishers.	
who carried a bag or package, to present the bag or package for inspection. Nost people entered only the buildings containing their respective workshops. The plant had also about five uniformed firemen, and a fire truck (See point 21, page 13). Nost buildings had manual fire entinguishers. Organization and Personnel	
who carried a bag or package, to present the bag or package for inspection. Nost people entered only the buildings containing their respective workshops. The plant had also about five uniformed firemen, and a fire truck (See point 21, page 13). Nost buildings had manual fire entinguishers.	
who carried a bag or package, to present the bag or package for inspection. Nost people entered only the buildings containing their respective workshops. The plant had also about five uniformed firemen, and a fire truck (See point 21, page 13). Nost buildings had manual fire entinguishers. Organization and Personnel	
who carried a bag or package, to present the bag or package for inspection. Most people entered only the buildings containing their respective workshops. The plant had also about five uniformed firemen, and a fire truck (See point 21, page 13). Most buildings had manual fire entinguishers. Organization and Personnel Refer to page 14, a chart of the organizational structure of the plant. "trouble shooters" worked in three shifts, and also on Sundays, with a working week day off. Each shop (spinning, weaving, bleaching, dyeing, printing) had about five "trouble-shooter" -mechanics for each shift. The plant had mostly skilled workers. There were 5 mechanic-apprentices in the plant. The breakdown in specialties is given in the T/O chart,	
who carried a bag or package, to present the bag or package for inspection. Nost people entered only the buildings containing their respective workshops. The plant had also about five uniformed firemen, and a fire truck (See point 21, page 13). Nost buildings had manual fire entinguishers. Organization and Personnel. Refer to page 14, a chart of the organizational structure of the plant. "trouble shooters" worked in three shifts, and also on Sundays, with a working week day off. Each shop (spinning, weaving, bleaching, dyeing, printing) had about five "trouble-shooter" -mechanics for each shift. The plant had mostly skilled workers. There were 5 mechanic-apprentices in the plant. The breakdown in specialties is given in the T/O chart, page 14.	
who carried a bag or package, to present the bag or package for inspection. Nost people entered only the buildings containing their respective workshops. The plant had also about five uniformed firemen, and a fire truck (See point 21, page 13). Nost buildings had manual fire entinguishers. Granisation and Personnel Refer to page 14, a chart of the organisational structure of the plant. "trouble shooters" worked in three shifts, and also on Sundays, with a working week day off. Each shop (spinning, weaving, bleaching, dyeing, printing) had about five "trouble-shooter" -mechanics for each shift. The plant had mostly skilled workers. There were 5 mechanic-apprentices in the plant. The breakdown in specialties is given in the T/O chart, page 14.	2:
who carried a bag or package, to present the bag or package for inspection. Nost people entered only the buildings containing their respective workshops. The plant had also about five uniformed firemen, and a fire truck (See point 21, page 13). Nost buildings had manual fire entinguishers. Granisation and Personnel Refer to page 14, a chart of the organisational structure of the plant. "trouble shooters" worked in three shifts, and also on Sundays, with a working week day off. Each shop (spinning, weaving, bleaching, dyeing, printing) had about five "trouble-shooter" -mechanics for each shift. The plant had mostly skilled workers. There were 5 mechanic-apprentices in the plant. The breakdown in specialties is given in the T/O chart, page 14.	2

	CONFIDENTIAL	
	-12-	
		25
ъ.	The director was a woman, name unknown,	
c.	The assistant to KAVALEV was Lov ABRAMOVICH,	
d.	Chief of the "trouble shooter" mechanics was Igor Andreyevich LATUR	07,
_	And should be TANKER on a West May Tunner on DANKS	
8.	Assistant to LATUNOV was Vasiliy Ivanovich BARICH,	
	il 1950 there were about 20 male Albanians, who were	
emp	loyed in this plant. These workers repatriated to Albania in 1950.	
Mo :		•
Mo :	loyed in this plant. These workers repatriated to Albania in 1950. prisoners or convicts or foreigners other than those described above, ked in this plant.	•
Mori Mori	loyed in this plant. These workers repatriated to Albania in 1950. prisoners or convicts or foreigners other than those described above, ked in this plant. workers received some form of longevity pay above the normal co-work rates, about five percent for each five years service in	, ,
Mori Mori	loyed in this plant. These workers repatriated to Albania in 1950. prisoners or convicts or foreigners other than those described above, ked in this plant. workers received some form of longevity pay above the normal	
No.	loyed in this plant. These workers repatriated to Albania in 1950, prisoners or convicts or foreigners other than those described above, ked in this plant. workers received some form of longsvity pay above the normal co-work rates, about five percent for each five years service in a plant. Spoilage of material was a frequent occurrence,	
Pac The	loyed in this plant. These workers repatriated to Albania in 1950, prisoners or convicts or foreigners other than those described above, ked in this plant. workers received some form of longevity pay above the normal co-work rates, about five percent for each five years service in a plant. Spoilage of material was a frequent occurrence, re were relatively few instances of machinery breakdowns. Each nine was taken out, completely overhouled once a year, and reinstalls work was done in the main repair shop, shown as noint 16, page 13	
emple work	loyed in this plant. These workers repatriated to Albania in 1950, prisoners or convicts or foreigners other than those described above, ked in this plant. workers received some form of longevity pay above the normal co-work rates, about five percent for each five years service in a plant. Spoilage of material was a frequent occurrence, are were relatively few instances of machinery breakdowns. Each hime was taken out, completely overhauled once a year, and reinstalls work was done in the main repair shop, shown as point 16, page 13 re about 150 mechanics accomplished the repair work. There were always to 15 various machines in the repair shop assiting overhaul which too	id.
paethi.	prisoners or convicts or foreigners other than those described above, ked in this plant. workers received some form of longsvity pay above the normal co-work rates, about five percent for each five years service in a plant. Spoilage of material was a frequent occurrence, are were relatively few instances of machinery breakdowns. Each him was taken out, completely overhauled once a year, and reinstalls work was done in the main repair shop, shown as point 16, page 13 re about 150 mechanics accomplished the repair work. There were alwested 15 various machines in the repair shop smalting overhaul which toom 10 to 15 days. Besides this regular maintenance, each shop had at four "trouble shooters".	id.
modern passes of the control of the	prisoners or convicts or foreigners other than those described above, ked in this plant. workers received some form of longevity pay above the normal co-work rates, about five percent for each five years service in a plant. Spoilage of material was a frequent occurrence, were relatively few instances of machinery breakdowns. Each hime was taken out, completely overhauled once a year, and reinstalls work was done in the main repair shop, shown as point 16, page 13 re about 150 mechanics accomplished the repair work. There were always to 15 various machines in the repair shop smaling overhaul which toom 10 to 15 days. Besides this remain maintenance, each shop had	25)
yae thi The mad This when thous should	prisoners or convicts or foreigners other than those described above, ked in this plant. workers received some form of longevity pay above the normal co-work rates, about five percent for each five years service in a plant. Spoilage of material was a frequent occurrence, because were relatively few instances of machinery breakdowns. Each name was taken out, completely overhauled once a year, and reinstalls work was done in the main repair shop, shown as point 16, page 13 work was done in the main repair shop, shown as point 16, page 13 to 15 various machines in the repair shop swaiting overhaul which too 15 tays. Besides this regular maintenance, each shop had it four "trouble shooters". it took from two to eight to put the machine back into operation. If possible, the "trouble	25)
yae thi The mad This when thous should	prisoners or convicts or foreigners other than those described above, ked in this plant. workers received some form of longsvity pay above the normal co-work rates, about five percent for each five years service in a plant. Spoilage of material was a frequent occurrence, because taken out, completely overhauled once a year, and reinstalls work was done in the main repair shop, shown as point 16, page 13 re about 150 mechanics accomplished the repair work. There were alwested to 15 various machines in the repair shop swaiting overhaul which too 15 to 15 days. Besides this regular maintenance, each shop had at four "trouble shooters". It took from two to eight reto put the machine back into operation. If possible, the "trouble obsers" repaired defective machines on Sundays. Iciencies: Emprovements and Promotion of Production	25)
yse thi. The made this thousand the second t	prisoners or convicts or foreigners other than those described above, ted in this plant. workers received some form of longsvity pay above the normal one-work rates, about five percent for each five years service in a plant. Spoilage of material was a frequent occurrence, re were relatively few instances of machinery breakdowns. Each hime was taken out, completely overhauled once a year, and reinstalles work was done in the main repair shop, shown as point 16, page 13 re about 150 mechanics accomplished the repair work. There were also 15 various machines in the repair shop smaiting overhaul which too a 10 to 15 days. Besides this regular maintenance, each shop had at four "trouble shooters". It took from two to eight to put the machine back into operation. If possible, the "trouble oters" repaired defective machines on Sundays. Iciencies; Improvements end Promotion of Production Besides occasional machinery breakdowns or power failure pribed above, no shortages or stoppages. The machines in good condition. The plant production could be converted to wark	25)
yse thi. The made this thousand the second t	loyed in this plant. These workers repatriated to Albania in 1950, prisoners or convicts or foreigners other than those described above, ked in this plant. workers received some form of longsvity pay above the normal co-work rates, about five percent for each five years service in a plant. Spoilage of material was a frequent occurrence, re were relatively few instances of machinery breakdowns. Each nine was taken out, completely overhauled once a year, and reinstalles work was done in the main repair shop, shown as point 16, page 13 re about 150 mechanics accomplished the repair work. There were alwe to 15 various machines in the repair shop smaiting overhaul which too a 10 to 15 days. Besides this regular maintenance, each shop had not four "trouble shooters". it took from two to eight repaired defective machines on Sundays. ledencies: Improvements and Promotion of Production Besides occasional machinery breakdowns or power failure wribed above, no shortages or stormages. The machines	25)
yse thi. The made this thousand the second t	prisoners or convicts or foreigners other than those described above, ted in this plant. workers received some form of longsvity pay above the normal one-work rates, about five percent for each five years service in a plant. Spoilage of material was a frequent occurrence, re were relatively few instances of machinery breakdowns. Each hime was taken out, completely overhauled once a year, and reinstalles work was done in the main repair shop, shown as point 16, page 13 re about 150 mechanics accomplished the repair work. There were also 15 various machines in the repair shop smaiting overhaul which too a 10 to 15 days. Besides this regular maintenance, each shop had at four "trouble shooters". It took from two to eight to put the machine back into operation. If possible, the "trouble oters" repaired defective machines on Sundays. Iciencies; Improvements end Promotion of Production Besides occasional machinery breakdowns or power failure pribed above, no shortages or stoppages. The machines in good condition. The plant production could be converted to wark	25)

25**X**1

Sanitized Copy Approved for Release 2010/07/07 : CIA-RDP80T00246A048300360001-6 0 (1) **®** 1 9 25X1 6 **(H)** (B) ③ Textile Combine Trekhgornava
Plant Layout \bigcirc 25X1 1 (1) (4) (3) **(3)** (F) (1) Attachment 2 26 (H) (29) 25X1 MOSKVA RIVER -

